

Message

From: Wilson, Jennifer [wilson.jenniferA@epa.gov]
Sent: 9/13/2018 10:17:26 PM
To: Holst, Linda [holst.linda@epa.gov]
CC: Poy, Thomas [poy.thomas@epa.gov]
Subject: RE: Our Letter Requesting Chemours Sample for More GenX
Attachments: ChemoursGenXsamplingrequest3_MK JAWedits.docx

Hi Linda,

The letter is attached. Tom said he didn't have any edits to it. Please let me know if you need anything else.

Thank you,
Jenny

From: Holst, Linda
Sent: Thursday, September 13, 2018 5:15 PM
To: Wilson, Jennifer <wilson.jenniferA@epa.gov>
Cc: Poy, Thomas <poy.thomas@epa.gov>
Subject: Re: Our Letter Requesting Chemours Sample for More GenX

It would be helpful to see the letter so I know what to say to Craig Butler.

Thanks,

Linda

Acting Director | Water Division | EPA Region 5
(312) 886-6758 | holst.linda@epa.gov

On Sep 13, 2018, at 4:04 PM, Wilson, Jennifer <wilson.jenniferA@epa.gov> wrote:

Hi Tom,

Thank you for checking it. I appreciate it.

Yes, I already informed Beth that we would be requesting more GenX sampling a few weeks ago. I will send her and Amy an e-mail and tell them it is leaving soon.

Linda, if you don't have time to call Craig Butler, I can leave him a voice mail, just let me know.

Thank you,
Jenny

From: Poy, Thomas
Sent: Thursday, September 13, 2018 3:57 PM
To: Wilson, Jennifer <wilson.jenniferA@epa.gov>; Holst, Linda <holst.linda@epa.gov>
Subject: RE: Our Letter Requesting Chemours Sample for More GenX

Jenny: The letter looks fine.

I know that we talked to Amy and Beth before about EPA's plan to request additional sampling by Chemours. We need to make sure that Ohio EPA (including up to their Director) is informed that request letter is now going to Chemours.

Tom

Tom Poy
Chief, Ground Water and Drinking Water Branch
USEPA - Region 5
(312) 886-5991

From: Wilson, Jennifer
Sent: Thursday, September 13, 2018 11:55 AM
To: Holst, Linda <holst.linda@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>
Subject: Our Letter Requesting Chemours Sample for More GenX

Hi Tom and Linda,

Ex. 5 Deliberative Process (DP)

Finally, please let me know by the end of the day if you want to review it or if I can keep it moving.

Thank you,
Jenny

Jennifer Wilson, P.E.
Detailed as the Special Assistant to the Regional Administrator
U.S. EPA Region 5
ORA - 19
77 West Jackson Blvd.
Chicago, IL 60604

e-mail: wilson.jennifera@epa.gov
Phone: (312)353-3115
Fax: (312)697-2751